Contents of Volume 183, No. 1

FULL PAPERS

Proteins

The nature of the hydroxyapatite-binding site in salivary acidic proline-rich proteins	A. BENNICK, M. CANNON & G. MADAPALLIMATTAM	115–126
The exchange of histidine C-2 protons in superoxide dismutases. A novel method for assigning histidine–metal ligands in proteins	A. E. G. CASS, H. A. O. HILL, J. V. BANNISTER, W. H. BANNISTER, V. HASEMANN & J. T. JOHANSEN	127–132
Purification of a phosphoprotein from chromatin of rat liver	P.-K. CHAN & C.-C. LIEW	147–156

Nucleic Acids

The identification of globin messenger ribonucleic acid in newt erythropoietic cells	J. A. GRASSO & G. P. CASALE	105–114

Lipids

Isolation and partial characterization of high-density lipoprotein HDL_1 from rat plasma by gradient centrifugation	L. T. LUSK, L. F. WALKER, L. H. DUBIEN & G. S. GETZ	83–90

Carbohydrates

The molecular compression of dextran	A. G. OGSTON & B. N. PRESTON	1–9
A reaction for the simple sensitive fluorimetric assay of heparin and 2-amino sugars	J. E. SCOTT	91–97
A lectin from the exudate of the fruit of the vegetable marrow (*Cucurbita pepo*) that has a specificity for β-1,4-linked *N*-acetylglucosamine oligosaccharides	A. K. ALLEN	133–137

Small Molecules

Alteration of the porphyrin nucleus of cytochrome *P*-450 caused in the liver by treatment with allyl-containing drugs. Is the modified porphyrin *N*-substituted?	F. DE MATTEIS & L. CANTONI	99–103
Preparation and properties of bilirubin photoisomers	M. S. STOLL, E. A. ZENONE, J. D. OSTROW & J. E. ZAREMBO	139–146

Enzymology

Purification of the membrane-bound hydrogenase of *Escherichia coli*	M. W. W. ADAMS & D. O. HALL	11–22
Comparison of glyoxalase I purified from yeast (*Saccharomyces cerevisiae*) with the enzyme from mammalian sources	E. MARMSTÅL, A.-C. ARONSSON & B. MANNERVIK	23–30
Purification and properties of *Klebsiella aerogenes* D-arabitol dehydrogenase	M. S. NEUBERGER, R. A. PATTERSON & B. S. HARTLEY	31–42
A comparison of methods for extracting ribonucleic acid polymerases from rat liver nuclei	T. J. C. BEEBEE	43–54
Subcellular distribution and properties of aldehyde dehydrogenase from 2-acetylaminofluorine-induced rat hepatomas	R. LINDAHL	55–64

Inhibition of bacteriophage-Qβ ribonucleic acid polymerase by guanosine triphosphate analogues — R. R. Brooks — 65–71

Increases in alkaline phosphatase activity in calvaria cells cultured with diphosphonates — R. Felix & H. Fleisch — 73–81

RAPID PAPERS

Proteins

Myelin basic proteins in myelin subfractions from normal and quaking mice — G. E. Fagg & T. V. Waehneldt — 159–162

The incorporation of tritiated retinyl moiety into the active-site lysine residue of bacteriorhodopsin — E. Mullen, M. G. Gore & M. Akhtar — 175–178

Nucleic Acids

An improved method for the rapid isolation of brain ribonucleic acid — B. B. Kaplan, S. L. Bernstein & A. E. Gioio — 181–184

Lipids

Structural characterization of ficaprenol-11 by ^{13}C nuclear magnetic resonance — Y. Tanaka & M. Takagi — 163–165

Hydrolysis of chylomicron triacylglycerol by endothelium-bound lipoprotein lipase. Effect of decreased apoprotein C-II/C-III ratio — T. J. Kotlar & J. Borensztajn — 171–174

Carbohydrates

A rapid and sensitive assay for detection of nanogram quantities of castor-bean (*Ricinus communis*) lectins — M. Ghosh, B. K. Bachhawat & A. Surolia — 185–188

Enzymology

Binding of radioiodinated propylthiouracil to rat liver microsomal fractions. Stimulation by substrates for iodothyronine 5′-deiodinase — T. J. Visser & E. Van Overmeeren — 167–169

Inhibition by trioxalen (psoralen) plus near-ultraviolet light of the induction of ornithine decarboxylase in Chinese-hamster cells — Y. M. Heimer & E. Riklis — 179–180

Comparison of radioactive peptides obtained from specifically labelled human renal and placental alkaline phosphatases — K. B. Whitaker & D. W. Moss — 189–192

Contents of Volume 183, No. 2

FULL PAPERS

Proteins

Abnormal blood-group-Ss-active sialoglycoproteins in the membrane of Miltenberger class III, IV and V human erythrocytes	D. J. Anstee, W. J. Mawby & M. J. A. Tanner	193–203
Lectin-binding proteins in central-nervous-system myelin. Detection of glycoproteins of purified myelin on polyacrylamide gels by [^{3}H]concanavalin A binding	L. J. McIntyre, R. H. Quarles & R. O. Brady	205–212
Lectin-binding proteins in central-nervous-system myelin. Binding of glycoproteins in purified myelin to immobilized lectins	R. H. Quarles, L. J. McIntyre & C. F. Pasnak	213–221
Purification and properties of plaice metallothionein, a cadmium-binding protein from the liver of the plaice (*Pleuronectes platessa*).	J. Overnell & T. L. Coombs	277–283
Calmodulin-binding proteins from brain and other tissues	R. J. A. Grand & S. V. Perry	285–295
Counteraction of urea destabilization of protein structure by methylamine osmoregulatory compounds of elasmobranch fishes	P. H. Yancey & G. N. Somero	317–323
Haemoglobin from the tadpole shrimp, *Lepidurus apus lubbocki*. Characterization of the molecule and determination of the number of polypeptide chains	E. Ilan & E. Daniel	325–330
Purification of fibronectin from human plasma by affinity chromatography under non-denaturing conditions	M. Vuento & A. Vaheri	331–337
Specific interaction of human Tamm–Horsfall glycoprotein with leucoagglutinin, a lectin from *Phaseolus vulgaris* (red kidney bean)	F. Serafini-Cessi, C. Franceschi & S. Sperti	381–388
Density comparisons of heavy chains of membrane and secreted immunoglobulins of mouse	N. Dobson & U. Melcher	395–403
The anion-transport protein of the human erythrocyte membrane. Studies on fragments produced by pepsin digestion	M. J. A. Tanner, D. G. Williams & D. Kyle	417–427
Extended amino acid sequences around the active-site lysine residue of class-I fructose 1,6-bisphosphate aldolases from rabbit muscle, sturgeon muscle, trout muscle and ox liver	P. A. Benfield, B. G. Forcina, I. Gibbons & R. N. Perham	429–444

Lipids

Studies on the mechanism of lanosterol 14α-demethylation. A requirement for two distinct types of mixed-function-oxidase systems	G. F. Gibbons, C. R. Pullinger & K. A. Mitropoulos	309–315

Enzymology

Evidence that binding to the S_2-subsite of papain may be coupled with catalytically relevant structural change involving the cysteine-25–histidine-159 diad. Kinetics of the reaction of papain with a two-protonic-state reactivity probe containing a hydrophobic side chain	K. Brocklehurst, J. P. G. Malthouse & M. Shipton	223–231

Reactivities of neutral and cationic forms of 2,2′-dipyridyl disulphide towards thiolate anions. Detection of differences between the active centres of actinidin, papain and ficin by a three-protonic-state reactivity probe	K. BROCKLEHURST, T. STUCHBURY & J. P. G. MALTHOUSE	233–238
Wheat-germ aspartate transcarbamoylase. Purification and cold-lability	J. E. GRAYSON, R. J. YON & P. J. BUTTERWORTH	239–245
Wheat-germ aspartate transcarbamoylase. Steady-state kinetics and stereochemistry of the binding site for L-aspartate	J. E. GRAYSON, R. J. YON & P. J. BUTTERWORTH	247–254
Impairment of the catalytic activity of *Escherichia coli* ribonucleic acid polymerase by a unique reaction of 4-chloro-7-nitrobenzofurazan	S. C. BRATCHER, K. NITTA & M. J. KRONMAN	255–268
Peroxide oxidation of indole to oxindole by chloroperoxidase catalysis	M. D. CORBETT & B. R. CHIPKO	269–276
Affinity labelling of the $NADP^+$-binding site of glucose 6-phosphate dehydrogenase from *Candida utilis*	T. BELLINI, M. SIGNORINI, F. DALLOCCHIO & M. RIPPA	297–302
Partial purification and characterization of chick-embryo prolyl 3-hydroxylase	K. TRYGGVASON, K. MAJAMAA, J. RISTELI & K. I. KIVIRIKKO	303–307
Purification and some physico-chemical and enzymic properties of a calcium ion-activated neutral proteinase from rabbit skeletal muscle	J.-L. AZANZA, J. RAYMOND, J.-M. ROBIN, P. COTTIN & A. DUCASTAING	339–347
The kinetics of effector binding to phosphofructokinase. The allosteric conformational transition induced by 1,N^6-ethenoadenosine triphosphate	D. ROBERTS & G. L. KELLETT	349–360
Reactions of dopa (3,4-dihydroxyphenylalanine) decarboxylase with dopa	A. MINELLI, A. T. CHARTERIS, C. B. VOLTATTORNI & R. A. JOHN	361–368
Evidence for association–activation effects in reactions of papain from studies on its reactivity towards isomeric two-protonic-state reactivity probes	K. BROCKLEHURST, J. A. L. HERBERT, R. NORRIS & H. SUSCHITZKY	369–373
Spectroscopic forms of carbonmonoxi-cytochrome oxidase	K. DE FONSEKA & B. CHANCE	375–379
A radiochemical titrant for the determination of the operational molarity of solutions of acid proteinases	G. B. IRVINE & D. T. ELMORE	389–394
Regulation of microsomal stearoyl-coenzyme A desaturase. Purification of a non-substrate-binding protein that stimulates activity	D. P. JONES & J. L. GAYLOR	405–415
The reversible immobilization of proteins on nylon activated through the formation of a substituted imidoester, and its unusual properties	P. V. SUNDARAM	445–451

RAPID PAPERS

Proteins

Self-association of bovine immunoglobulin G1	T. K. S. MUKKUR & G. D. SMITH	463–465
Mechanism of formation, spectrum and reactivity of half-reduced eight-iron *Clostridium pasteurianum* ferredoxin in pulse-radiolysis studies and the non-cooperativity of the four-iron clusters	J. BUTLER, R. A. HENDERSON, F. A. ARMSTRONG & A. G. SYKES	471–474

Nucleic Acids

Microbubbles in replicating nuclear deoxyribonucleic acid from *Physarum polycephalum*	D. A. F. GILLESPIE & N. HARDMAN	477–480

Carbohydrates

Proteoglycans from adult human gingival epithelium — O. W. WIEBKIN, P. M. BARTOLD & J. C. THONARD — 467–470

Enzymology

Decarboxylation of porphyrinogens by rat liver uroporphyrinogen decarboxylase — A. G. SMITH & J. E. FRANCIS — 455–458

Reversal of part of the aldehyde dehydrogenase reaction pathway during the hydrolysis of an ester — R. J. S. DUNCAN — 459–462

The rate-limiting step of the protamine-induced adenosine triphosphatase activity of adenosine triphosphate–G-actin — A. FERRI, E. MAGRI & E. GRAZI — 475–476

Contents of Volume 183, No. 3

FULL PAPERS

Proteins

Isolation and characterization of binding proteins for retinol from the cytosol, nucleosol and chromatin of the oviduct magnum of laying hens — M. R. S. RAO, V. R. PRASAD, G. PADMANABAN & J. GANGULY — 501–506

The nature of the slow metal ion-dependent conformational transition in bovine prothrombin — H. C. MARSH, M. E. SCOTT, R. G. HISKEY & K. A. KOEHLER — 513–517

Matrix proteins bound to associatively prepared proteoglycans from bovine cartilage — M. PAULSSON & D. HEINEGÅRD — 539–545

Phosphorescence of protein-bound eosin and erythrosin. A possible probe for measurements of slow rotational mobility — P. B. GARLAND & C. H. MOORE — 561–572

The isolation and characterization of bovine C4a, an activation fragment of the fourth component of complement — N. A. BOOTH, R. D. CAMPBELL, M. A. SMITH & J. E. FOTHERGILL — 573–578

The purification and characterization of subcomponent C1s of the first component of bovine complement — R. D. CAMPBELL, N. A. BOOTH & J. E. FOTHERGILL — 579–588

Limited proteolysis of complement components C2 and factor B. Structural analogy and limited sequence homology — M. A. KERR — 615–622

Quantitative *N*-terminal analysis of fibrinogen–fibrin-related antigen (FR antigen) from human plasma — J. U. HARRIS, A. J. JOHNSON, C. MERSKEY, M.-T. WANG & D. ROBINSON — 623–632

Does high-mobility-group non-histone protein HMG 1 interact specifically with histone H1 subfractions? — P. D. CARY, K. V. SHOOTER, G. H. GOODWIN, E. W. JOHNS, J. Y. OLAYEMI, P. G. HARTMAN & E. M. BRADBURY — 657–662

Purification and characterization of zinc-binding protein from the liver of the partially hepatectomized rat — H. OHTAKE & M. KOGA — 683–690

A study of the copper-binding proteins in liver and kidney tissue of neonatal normal and mottled mutant mice — A. E. PORT & D. M. HUNT — 721–730

Hydrophobic proteins of lamellated osmiophilic bodies isolated from pig lung — P. J. R. PHIZACKERLEY, M.-H. TOWN & G. E. NEWMAN — 731–736

DOES NOT CIRCULATE

Nucleic Acids

Nucleotide sequences of chloroplast 5S ribosomal ribonucleic acid in flowering plants — T. A. DYER & C. M. BOWMAN — 595–604

4.5S Ribonucleic acid, a novel ribosome component in the chloroplasts of flowering plants — C. M. BOWMAN & T. A. DYER — 605–613

Lipids

A new series of long-chain dicarboxylic acids with vicinal dimethyl branching found as major components of the lipids of *Butyrivibrio* spp. — R. A. KLEIN, G. P. HAZLEWOOD, P. KEMP & R. M. C. DAWSON — 691–700

Carbohydrates

Isolation of ^{35}S- and ^{3}H-labelled proteoglycans from cultures of human embryonic skin fibroblasts — L. CÖSTER, I. CARLSTEDT & A. MALMSTRÖM — 669–681

Structure of heparan sulphate oligosaccharides and their degradation by exo-enzymes — A. LINKER — 711–720

Small Molecules

Role of 24- and 28-hydroxylated intermediates in the metabolism of β-sitosterol in the insect *Tenebrio molitor* — F. NICOTRA, F. RONCHETTI, G. RUSSO & L. TOMA — 495–499

Comparison of the bile salts of frogs with those of their tadpoles. Bile-salt changes during the metamorphosis of *Rana catesbeiana* Shaw — I. G. ANDERSON, T. BRIGGS, G. A. D. HASLEWOOD, R. S. OLDHAM, H. SCHÄREN & L. TÖKÉS — 507–511

Enzymology

Inosine 5′-monophosphate dehydrogenase of *Escherichia coli*. Purification by affinity chromatography, subunit structure and inhibition by guanosine 5′-monophosphate — H. J. GILBERT, C. R. LOWE & W. T. DRABBLE — 481–494

Effects of inhibitory ligands on the aerobic carbon monoxide complex of cytochrome *c* oxidase — P. NICHOLLS — 519–529

Heparin–Sepharose affinity chromatography for purification of bull seminal-plasma hyaluronidase — P. N. SRIVASTAVA & A. A. FAROOQUI — 531–537

Partial purification and characterization of deoxyguanosine kinase from pig skin — F. J. GREEN & R. A. LEWIS — 547–553

A new fluorogenic substrate for plasmin — P. A. PIERZCHALA, C. P. DORN & M. ZIMMERMAN — 555–559

Specificity for guanine nucleotide activation and stabilization of rabbit cardiac adenylate cyclase — F. F. SNYDER & R. J. CARTER — 589–594

Kinetic and spectroscopic evidence of cation-induced conformation changes in yeast K^+-activated aldehyde dehydrogenase — G. F. BETTS, P. L. POOLE, M. G. SPRINGHAM & K. A. BOSTIAN — 633–646

Purification of pig synovial collagenase to high specific activity — T. E. CAWSTON & J. A. TYLER — 647–656

A re-evaluation of some basic structural and functional properties of *Pseudomonas* cytochrome oxidase — M. C. SILVESTRINI, A. COLOSIMO, M. BRUNORI, T. A. WALSH, D. BARBER & C. GREENWOOD — 701–709

Evidence for the occurrence of an ecto-(adenosine triphosphatase) in rat epididymal spermatozoa — G. C. MAJUMDER & R. BISWAS — 737–743

Intermolecular Organization

Changes associated with glycolytic-enzyme binding in the equatorial X-ray-diffraction pattern of glycerinated rabbit psoas muscle — M. STEWART, D. J. MORTON & F. M. CLARKE — 663–667

RAPID PAPERS

595–604	**Proteins**		
605–613	β-Galactoside-binding muscle lectins of man and monkey show antigenic cross-reactions with those of bovine origin	R. A. CHILDS & T. FEIZI	755–758
	Enzymology		
691–700	Effects of manganese ions and magnesium ions on the activity of soya-bean ribulose bisphosphate carboxylase/oxygenase	J. T. CHRISTELLER & W. A. LAING	747–750
669–681	2,2′-Dithiodipyridine activates aldehyde dehydrogenase and protects the enzyme against inactivation by disulfiram	T. M. KITSON	751–753
711–720	**Author Index**		759–760
	Subject Index		761–769
495–499			
507–511			
481–494			
519–529			
531–537			
547–553			
555–559			
589–594			
633–646			
647–656			
701–709			
737–743			
663–667			